

# Material Specification

## TREVIRA CS



**MATERIAL:** TREVIRA CS polyester material is made of TREVIRA CS fibres and woven by the weaving mill of Euro Air. The TREVIRA CS materials are woven in a twill weave that combined with the heavy and twisted staple fibres ensure the largest possible textile surface and by that longer washing intervals.

**CONSTRUCTION:** Heatset, shrinkage- and permeability-stabilized material.

Type		TREVIRA CS 50	TREVIRA CS 150	TREVIRA CS 325	TREVIRA CS 550	TREVIRA CS 775	TREVIRA CS 1240	Standard
Weight (%) -/+5	g/m <sup>2</sup>	400	330	300	290	280	340	EN-ISO 5077
Thickness (%) -/+10	mm	0.7	0.6	0.6	0.65	0.6	0.6	EN-ISO 12127:1997
Permeability	m <sup>3</sup> /m <sup>2</sup> /h 120 Pa	50	150	325	550	775	1240	EN-ISO 9237:1995
	Tolerance (%)	-25/+8	-12/+16	-6/+15	-6/+15	-8/+14	-1/+27	
Tensile strength (%) -/+10	Warp / Weft N/50mm	2600 / 2100	2800 / 1100	2800 / 1100	2800 / 920	2900 / 800	2700 / 1300	EN-ISO 13934-1
Resistance to tearing (%) -/+10	Warp / Weft N	98 / 103	112 / 69	167 / 91	178 / 137	166 / 164	144 / 138	EN-ISO 13937:2
*Dust retention Filter class		F7	F7	F6	F5	F5	G4	EN-ISO 779
**Shrinkage in wash	(%) 40°C	0.5	0.5	0.5	0.5	0.5	0.5	EN-ISO 5077
Melting point	°C	254	254	254	254	254	254	
Operating temperature	°C	80/-45	80/-45	80/-45	80/-45	80/-45	80/-45	
Spontaneous ignition temp.	°C	508	508	508	508	508	508	
Water absorption	[%] at 90% RH	0.4	0.4	0.4	0.4	0.4	0.4	
Electrostatic Resistance	Ohm/cm	2 x 10 <sup>10</sup>	2 x 10 <sup>10</sup>	2 x 10 <sup>10</sup>	2 x 10 <sup>10</sup>	2 x 10 <sup>10</sup>	2 x 10 <sup>10</sup>	DIN 54345
Clean room classification		N/A	N/A	N/A	N/A	N/A	N/A	ISO-14644-1
Fire resistance	B-S1-d0	B-S1-d0	B-S1-d0	B-S1-d0	B-S1-d0	B-S1-d0	B-S1-d0	EN-13501 AC 167 NFPA 90 A
	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Oeko-Tex®		Approved						
Cradle to Cradle™		Only available in white						

\*EA measurement \*\*Washed and dried according to Euro Air instruction

This document and all information thereon is the property of Euro Air. It must not be copied, imparted to a third party or used for any other purpose without the written consent of Euro Air.

August 2017